

FIG. 1




FIG. 2




FIG. 3A




FIG. 3B




FIG. 4A




FIG. 4B




FIG. 4C




FIG. 5A




FIG. 5B




FIG. 5C




FIG. 6




FIG. 7




FIG. 8A




FIG. 8B




FIG. 9A




FIG. 9C




FIG. 10




FIG. 11




FIG. 12A




FIG. 12B




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17A




FIG. 17B




FIG. 17C




FIG. 18A




FIG. 18B

	DIFFERENCE IN SCATTERED LIGHT DEPENDING ON ILLUMINATING DIRECTION		SCATTERED LIGHT AMOUNT RATIO (EPI/OBLIQUE)
	EPI-ILLUMINATION	OBLIQUE ILLUMINATION	
PARTICLES	AMOUNT OF SCATTERED LIGHT:LARGE	AMOUNT OF SCATTERED LIGHT:LARGE	SMALL
SCRATCHES	AMOUNT OF SCATTERED LIGHT:LARGE	AMOUNT OF SCATTERED LIGHT:SMALL	LARGE

FIG. 19




FIG. 22




FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28





FIG. 29



Applicant: Hidetoshi Nishiyama, et al.

Title: Method and Its Apparatus for Inspecting Particles...

Atty Docket No. 16869S-032100

Sheet 16 of 21

18

FIG. 30A





FIG. 30B



Applicant: Hidetoshi Nishiyama, et al.

Title: Method and Its Apparatus for Inspecting Particles...

Atty Docket No. 16869S-032100

Sheet 17 of 21

19

FIG. 31




FIG. 32




FIG. 33A




FIG. 33B




FIG. 33C




FIG. 34




FIG. 35

